

Insetox

Deltamethrin, Boric acid

Dosage Form

Powder for external use in veterinary medicine.

Pharmacotherapeutic Group

Ectoparasiticides for external use, including insecticides.

ATC vet code: QP53AC11 – Deltamethrin; QS02AA03 – Boric acid.

Target Species

Domestic animals and poultry.

Composition

1 g of powder contains:

- **5% Deltamethrin – 0.02 g**
 - **Boric acid – 0.05 g**
- Excipients: Talc.**
-

Description

White or greyish powder.

Presentation

- **500 g in silver polyethylene package**
 - **50 g powder for external use in white polyethylene bottle**
-

Pharmacological Properties

Insetox has a broad-spectrum insecto-acaricidal activity.

Active against:

- **Mange mites**

- **Poultry mites**
- **Barn mites**
- **Flies**
- **Bedbugs**
- **Other ectoparasites**

At recommended doses and concentrations, it does not cause local irritation or allergic reactions.

Toxic to fish and bees.

Indications

Insetox is used for external treatment of domestic animals and poultry for the elimination of all types of external parasites (lice, ticks, fleas and others).

Dosage and Administration

Sprinkle the insecto-acaricidal powder on infested areas or, in severe cases, over the entire body surface and rub manually for 1–2 minutes.

For poultry, apply under the wings, on the chest, and around the cloaca.

For therapeutic purposes:

Treat animals once weekly for three consecutive weeks.

For prophylaxis:

Apply once monthly.

Adverse Reactions

No adverse reactions have been observed.

Hypersensitivity to components may occur.

Contraindications

None established.

Precautions

Use protective clothing (coat, apron, gloves, goggles, respirator).

Do not smoke, eat, or drink during handling.

After work, rinse mouth and wash hands and face with soap and water.

In case of skin contact, wash thoroughly with soap and plenty of running water.

Withdrawal Period

For food-producing animals: 0 days.

Storage Conditions

Store in a dry place protected from light at a temperature not exceeding 25°C.

Keep out of reach of children.

Shelf Life

3 years.

Manufacturer

LLC “Biotecs”, Georgia.