

Ratinol

Bromadiolone 0.005%

Bromadiolone

Rodent control (rodenticide) product

Manufacturer: LLC "Biotecsi", Georgia

---

## I. General Information

1. Rodenticide Bromadiolone 0.005% (Ratskiller) is a ready-to-use granular bait intended for the extermination of rodents.
2. Composition:  
Bromadiolone 0.005%
3. Presentation:  
Granular bait in 60 g and 1 kg packages.

All packaging units are labeled and indicate the manufacturer's name and address, trademark, trade name, composition, net quantity, intended use and instructions, batch number, date of manufacture, expiry date (month, year), and storage conditions.

Store in a dry, cool place at a temperature not exceeding 18°C.

Keep out of reach of children.

Shelf life: 1.5 years from the date of manufacture.

---

## II. Biological Properties

4. The product is an anticoagulant rodenticide used to control rodents (mice, rats, field mice, etc.). It is applied as bait and may also be placed in burrows to create a toxic barrier.

Rodent mortality begins 3–5 days after ingestion.

---

## III. Method of Use and Dosage

5. Apply in areas of rodent habitation and movement: residential premises, settlements, industrial buildings and surrounding areas, as well as public gathering places.

Place the bait under special covers or inside specially designed bait boxes, containers, sheds; it may also be placed on thick paper, disposable paper or plastic plates, tin sheets, or polyethylene pieces.

6. Dosage:
  - Indoor premises and storage areas: 60 g per 10–20 m<sup>2</sup>
  - Agricultural land and crop fields: 2–3 kg per hectare

For complete eradication of rodents, it is recommended to repeat the treatment twice at a 10-day interval.

---

#### IV. Personal Safety Measures

7. During handling, follow general hygiene and safety regulations established for rodenticide use.
  - Wear protective clothing, gloves, safety goggles, and use tweezers or a polyethylene spoon.
  - Avoid contact with mucous membranes and skin; in case of accidental contact, rinse thoroughly with plenty of water.
  - Do not smoke or eat while handling the product.
  - After finishing work, wash protective clothing and thoroughly wash hands with warm water and soap.
  - In case of accidental poisoning, stop working immediately. If swallowed, induce vomiting, administer activated charcoal, and seek medical attention immediately.